

SPORTS PLUS HELMETS CO, LTD
3RD INDUSTRIAL ZONE, YULV VILLAGE, GONGMING TOWN, BAOAN DISTRICT,
SHENZHEN CITY, GUANGDONG, CHINA

The following sample(s) was / were submitted and identified on behalf of the client as:


Sample Description : PEDAL CYCLE HELMETS
Style / Item No. : M72
Sample Receiving Date : Sep 21, 2010
Sample Resubmission Date : Oct 11, 2010
Test Performing Date : Sep 21, 2010 to Oct 20, 2010
Claimed Helmet Size : 55-59CM
Helmet Position Index(HPI) : 40MM
Type of Helmet : Bicycle Helmet
Helmet Materials¹ : Shell : PC
Liner : EPS
Sizing/comfort pads : Velours+ sponge
Webbing :
Retention Buckles : POM

Note 1: above information are provided by the manufacture and the laboratory does not accept responsibility for the accuracy of this information

Test Required:

For compliance with: Clause 7.3/7.4/7.6 of AS/NZS 2063:2008+A1:2009
Test Results: Pass

Signed for and on behalf of
SGS-CSTC Co., Ltd.



Sunny Sun
Section Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com

Test Conducted: Based on AS/NZS 2063:2008+A1:2009 Bicycle helmets

Clause	Test Method/Requirement	Result
5	Construction	
5.1	General	--
5.1.1	<p>Components</p> <p>The helmet shall consist of —</p> <p>(a) a means of absorbing impact energy;</p> <p>(b) a means of distributing load; and</p> <p>(c) a retention system.</p> <p>All components of the helmet shall be permanently attached. Removable comfort pads are not considered as part of the protective system.</p>	N/T
5.1.2	<p>Attachment of components</p> <p>None of the above components, or any accessories, shall be fitted to the helmet in such a way that they are likely to cause injury to the wearer in the event of an impact.</p>	N/T
5.2	<p>Retention system</p> <p>(a) the system includes a retaining strap to be worn under the lower jaw;</p> <p>(b) the system is adjustable to produce tension on straps between all fixing points when the retaining strap is properly fastened.</p> <p>(c) any part of the retaining strap that, when properly fastened, contacts the throat on the underside of the wearer's jaw shall not be less than 15mm wide; and</p> <p>NOTE: The width requirement reflects the ability of the fastened, contacts the throat on the case of an impact. Comfort pads on the retaining strap are not considered to be load bearing components.</p> <p>(d) the system meets the requirements of Clauses 7.3 and 7.6.</p>	N/T
5.3	Projections	--
5.3.1	<p>General</p> <p>Refer to Figure 1 for illustrations of types of projections and methods of measurement.</p>	--
5.3.2	<p>External projections</p> <p>Rigid projections and irregularities on the continuous curve of the outer surface of the helmet, except for ventilation holes and associated depressions, shall not be greater than 5 mm in height when measured normal to the general outer surface of the helmet as shown in Figure 1.</p> <p>A fairing becomes a projection when the included angle is greater than 45° as shown in Figure 1. The angle of the projection only applies to flat surfaces that have been faired to the surface of the shell</p> <p>NOTE: Irregularities in the shell should be smoothed to minimize resistance to tangential impact forces brought about by friction or snagging.</p>	N/T
5.3.3	<p>Internal projections</p> <p>The helmet should have no internal projections or irregularities likely to cause injury to the wearer in case of an accident.</p>	N/T
5.4	<p>Materials</p> <p>Except as specifically provided for in this Standard, the characteristics of the materials used in the manufacture of helmets shall be established by the manufacturer as being suitable for the purpose.</p> <p>NOTE: The manufacturer should have regard to the provisions of Appendix A.</p>	N/T

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and only in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com



5.5	Ventilation The helmet shall incorporate features designed to transfer heat from the head.	N/T
7	Test Requirement	--
7.1	General Not more than 10% by mass of any helmet shall become detached as a result of testing.	N/T
7.2	Horizontal peripheral vision clearance When measured at the basic plane in accordance with AS/NZS 2512.6, the peripheral vision clearance of the helmet shall be not less than 105° on each side of the mid-sagittal plane. In addition, the brow opening of the helmet, and on peaked helmets the outer edge of the peak, shall be at least 25 mm above all points in the basic plane that are within the specified angle of peripheral vision clearance.	N/T
7.3	Static helmet stability When tested in accordance with AS/NZS 2512.7.1, using a force of 50±0.5N for a period of not less than 15s and not greater than 30 s, the helmet shall neither completely expose, nor completely obscure the test band. If the helmet has a detachable peak, the peak shall be removed for the test. Helmets for bicycles shall be tested on the A _{mod} or J _{mod} headforms specified in AS 2512.7 as appropriate to the helmet's size range. Where the helmet size range covers more than one headform size, the helmets shall be tested on both A _{mod} or J _{mod} headforms. If the helmet size falls between two headform sizes, it shall be tested on the smaller of those two headforms.	Pass
7.4	Impact energy attenuation When the helmet is tested in accordance with AS/NZS 2512.3.1, using a flat anvil; only and a free-fall height of 1500+30,-5mm, the headform acceleration shall not exceed 250g peak. In addition ,the cumulative duration of acceleration shall not exceed- a. 3.0 ms for accelerations greater than 200 g; and b. 6.0 ms for accelerations greater than 150 g.	Pass
7.5	Load distribution When the helmet is tested in accordance with AS/NZS 2512.9 using a fall height of 1000+15,-5 mm, the following conditions shall be met: a. Loading measured by the force transducer shall not exceed 500 N measured over a circular area of 100 mm ² . b. The anvil shall not contact the surface of the headform.	N/T
7.6	Dynamic strength of retention system When tested in accordance with AS/NZS 2512.5.2, using a drop height of 250 -0, +5mm, the dynamic displacement shall not exceed 30 mm. Where the retention system consists of components, which can be independently fastened without securing the complete assembly, each such component shall independently comply with the requirements of this Clause.	Pass
7.7	Peak deflection When tested in accordance with AS/NZS 2512.8, using a suspended mass of 2 kg for 30 s, the peak shall not break and the deflection of the peak shall not be less than 6.0 mm. Detachable peak may be fixed to the helmet for this test if they are likely to become detached from the helmet during the test. NOTE: Suitable fixing methods include gluing, riveting and the like.	N/T

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com



8	Marking	
8.1	<p>On the helmet Each helmet shall be permanently and legibly marked in letters no less than 1.5mm high with the following information:</p> <ul style="list-style-type: none"> a. Registered name and address of the manufacturer and /or Australian agent. b. Shell and liner construction material(s) c. Model and Brand designation. d. An indication of the front or rear of the helmet. e. Size f. Month and year of manufacture(May be spelled out, e.g. "November 2008" , or in numerals, e.g. "11/2008" or "2008/11"). <p>Each helmet shall also be marked in such a manner that it can be easily read without removal of the comfort padding or any permanent part with the following, verbatim, instructions to the user:</p> <ul style="list-style-type: none"> i. Bicycle helmet — Not intended for use in motor sports or by motor cyclists. ii. Helmet can be seriously damaged by substances such as petrol, paint, adhesives, or cleaning agents iii. Make no modifications. iv. Fasten helmet securely under the jaw. v. If helmet shows signs of damage, destroy and replace it. vi. If helmet receives a severe blow, even if apparently undamaged, destroy and replace it. 	N/T
8.2	<p>Durability of marking The wording on labels fixed to the product shall be easily legible when rubbed by hand for 15 s with a piece of cloth soaked in water, allowed to dry and rubbed for 15 s with a piece of cloth soaked with liquid domestic dishwashing detergent.</p>	N/T
8.3	<p>On the package If a helmet is packaged, the following information shall be clearly and legibly visible without removal of the helmet:</p> <ul style="list-style-type: none"> a. Manufacturer's registered brand name. b. Model designation c. Size d. A list of the sizes available in the model range together with the nominal mass for each size. e. The activity/ activities for which the helmet is designed. 	N/T
	<p>NOTES:</p> <ul style="list-style-type: none"> 1. The information in Item(e) above may be presented pictorially 2. Manufacturers making a statement of compliance with this Australian Standard on a product, packaging, or promotional material related to that product are advised to ensure that such compliance is capable of being verified. 3. It is the responsibility of the manufacturer to ensure that a helmet meets the design requirements of the sport(s) for which it is marked as suitable. 	N/T

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com



<p>9</p>	<p>INSTRUCTIONS FOR USE AND CARE</p> <p>In addition to the marking requirements of Clauses 8.1 and 8.2, each helmet shall be accompanied by a brochure or label which shall include the following, verbatim, in letters no less than 2.0 mm high:</p> <p>(a) No helmet can protect the wearer against all possible impacts.</p> <p>(b) The helmet is designed to be retained by a trap under the lower jaw.</p> <p>(c) To be effective, a helmet must fit and be worn correctly. To check for correct fit, place helmet on head and make any adjustments indicated. Securely fasten retention system. Grasp the helmet and try to rotate it to the front and rear. A correctly fitted helmet should be comfortable and should not move forward to obscure vision or rearward to expose the forehead.</p> <p>(d) No attachments should be made to the helmet except those recommended by the helmet manufacturer.</p> <p>(e) The helmet is designed to absorb shock by partial destruction of the shell and liner. This damage may not be visible. Therefore, if subjected to a severe blow, the helmet should be destroyed and replaced even if it appears undamaged.</p> <p>(f) The helmet may be damaged and rendered ineffective by petroleum and petroleum products, cleaning agents, paints, adhesives and the like, without the damage being visible to the user.</p> <p>(g) A helmet has a limited lifespan in use and should be replaced when it shows obvious signs of wear.</p> <p>(h) This helmet should not be used by children while climbing or doing other activities where there is a risk of hanging or strangulation if the child gets trapped whilst wearing the helmet.</p>	<p>N/T</p>
	<p>Information shall be provided, in words (with letters no less than 2.0 mm high) and pictures, on the following:</p> <p>(i) Instructions on the correct method of positioning, adjustment and fastening of the helmet.</p> <p>(ii) Both the correct and incorrect fitment and wearing position of that approximate type of helmet shall be shown by a graphical representation of minimum height 25 mm. The correct wearing position, as recommended by the manufacture, shall be shown in a circle, and the incorrect (showing the helmet tilted back at a grossly incorrect attitude) shall be shown in a circle with a slash through it. The two depictions shall be the same height.</p> <p>NOTE: Information on graphic representation and the circle with slash are given in AS 2342</p> <p>(iii) Cleaning method and agent(s)</p> <p>(iv) Details regarding suitability of helmet of helmet in relation to specific activities.</p> <p>(v) Australian distributors'/agents' name and address if not manufactured locally.</p>	<p>N/T</p>

Remark:

1. N/A means not applicable.
2. N/T means not tested as per client's request.

Size: 55-59 cm

Test headform: J ISO

Appendix 1:

Mass of the samples:

Sample No.	Mass before test (g)
1	244
2	244
3	247
4	246

Appendix 2:

Horizontal peripheral vision clearance:

Test specification: AS/NZS 2512.6

Headform: J ISO

Positioning Index: 40mm

Ambient temperature at time of test: 23° C

Peripheral Vision clearance: 105°

Brow Opening: 36mm

Appendix 3

Helmet stability test:

Test specification: AS/NZS 2512.7.1

Headform: A_{mod}

Positioning Index: 38mm

Ambient temperature at time of test: 23° C

Condition	Test result description	Result
AMBIENT	Neither completely expose or obscure the test band	Pass

Headform: J_{mod}

Positioning Index: 40mm

Ambient temperature at time of test: 23° C

Condition	Test result description	Result
AMBIENT	Neither completely expose or obscure the test band	Pass

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com



Appendix 4

Impact energy attenuation test:

Test specification: AS/NZS 2512.3.1

Headform: J ISO

Positioning Index: 40mm

Ambient temperature at time of test: 23° C

condition	Impact site	Peak deceleration (g)	Duration at 200g (ms)	Duration at 150g (ms)	Assessment
AMBIENT No.1	Front	157.9	0.00	1.63	Pass
	Right side	195.3	0.00	2.15	Pass
	Left side	182.4	0.00	2.33	Pass
	Back	122.1	0.00	0.00	Pass
HOT No.2	Front	151.5	0.00	1.06	Pass
	Right side	194.3	0.00	2.19	Pass
	Left side	178.9	0.00	1.98	Pass
	Back	120.6	0.00	0.00	Pass
COLD No.3	Front	167.4	0.00	2.07	Pass
	Right side	194.8	0.00	2.21	Pass
	Left side	190.8	0.00	2.34	Pass
	Back	125.1	0.00	0.00	Pass
WET No.4	Front	160.4	0.00	1.48	Pass
	Right side	186.3	0.00	2.60	Pass
	Left side	174.4	0.00	1.91	Pass
	Back	108.6	0.00	0.00	Pass

Appendix 6

Retention system test

Test specification: AS/NZS 2512.5.2

Headform: J ISO

Positioning Index: 40 mm

Ambient temperature at time of test: 23 °C

Condition	Total elongation (mm)	Assessment
AMBIENT No.1	28.0	Pass
HOT No.2	28.2	Pass
COLD No.3	28.8	Pass
WET No.4	27.0	Pass

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com

PHOTO APPENDIX



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and only in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com

<p>Rear view</p>	
<p>Top view</p>	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and only in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com

<p>Bottom view</p>	
<p>Test line</p>	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and only in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com



<p>Test line</p>	
<p>Test line</p>	

End of Report

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and only in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To ensure the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com